MEASURING SMALL AMOUNTS: FROM FISSION PHYSICS TO ENVIRONMENTAL RADIOCHEMISTRY. Howard L. Hall, Chemistry and Materials Science Directorate, Lawrence Livermore National Laboratory L-226, Livermore, CA 94551.

Since attending the first DOE/ACS Summer School in Nuclear and Radiochemistry in 1984, a central theme of my work has been high-sensitivity measurements. This presentation details some interesting results over the last twelve years ranging from low-energy fission to environmental radiochemistry. In the area of delayed fission, enough cases of this decay mode have been characterized that we are now contemplating "third generation" experiments with tools such as Gammasphere. In environmental radiochemistry, work has included studies of naturally-occurring radionuclides as well as radioactive waste disposal policy issues.

Work performed under the auspices of the U.S. Dept. of Energy by Lawrence Livermore Nat'l Lab. Under Contract W-7405-Eng-48.

ABSTRACT. Please be BRIEF—150 words maximum if possible. Title of paper should be ALL CAPS; author(s) listed by first name, middle initial, last name; indicate address w/zip code. SINGLE SPACE, BLACK INK.

A. DIVISION OF Nuclear Chemistry & Tech. Div.			(To be filled in by Division)
B. MEMBER 🖾 Yes 🗌 No			Paper number as listed on program
C. TITLE OF PAPER  MEASURING SMALL AMOUNTS:  TO ENVIRONMENTAL RADIOCHER		PHYSICS	E. Principal Author's Business Mailing Address Including Zip Code Howard L. Hall, L-226 LLNL
Please indicate preference: X	oral	poster	7000 East Avenue
D. AUTHORS			Livermore, CA 94550
Principal Author:			
Sumame Hall	First Name Howard	MI L.	F. Principal Author's Telephone, Fax Number, and E-mail Address
Presenting Author (if different)			•
same Co-authors:			(510) 422-7446 (telephone) (510) 424-2298 (fax) hlhall@llnl.gov
none			
			G. For contributed papers, do authors meet criteria outlined in ACS Bylaw VI, Section 6(3)? See instructions.
			🔯 Yes 🗌 No
NOTE: ALL PRESENTING AUTHORS MUST REGISTER FOR THE MEETING—EITHER FULL MEETING REGISTRATION OR ONE-DAY REGISTRATION FOR THE DAY OF PRESENTATION.			
H. Specify Equipment Required for Presentation Other than 2" x 2" (35MM)slide or overhead (transparency) projector			
none			